

HGKC-12



HGKC-12



.....	4
.....	5
.....	6
.....	7
.....	8
4.1	8
4.2	8
4.3	9
4.4	10
4.5	10
.....	12
.....	12
.....	16
.....	16
.....	17
.....	18
.....	19
.....	19
.....	20



GB1984-2003


3 DL/T846.3-2004

JJG1120-2015 GKC-6F

500KV

- 1.
2. 12
3. 100
4. 320 × 240 LCD ,
- 5.
- 6.
- 7.
- 8.
- 9.
- 10.
- 11.






VS1

4

31


14

30



4.3

“ ”



4.4

3

3

4.5

SF6


0.1mm

15mm

ZN28


ZN63

VSI






360

VS1 VD4







225

027-83267669






1mm



















合 闸	弹跳	次数	同期	1.11 ms
A1 42.00	0.00	0	同相	0.00 ms
B1 41.20	0.00	0	开距	10.50 mm
C1 40.97	0.00	0	行程	3.50 mm
			最大	1.00 m/s
			平均	0.59 m/s
			电流	2.23 A
			电压	220 V



分 闸	弹跳	次数	同期	2.43 ms
A1 22.81	0	0	同相	0.00 ms
B1 22.81	0	0		
C1 22.81	0	0		



4.

DC1000V

“ → ”

“ ← ”

2

-10 40 C

80%

0.5

“

”

“

”

1

2

1.

2.



1

2

3

2

24

027-83267669

24

48

4

225

027-83267669