




赫兹电力
HERTZ POWER

产品宗旨：技术领先，质量可靠，轻便易用

服务宗旨：快速响应，达到满意，超过期望






赫兹电力
HERTZ POWER

产品宗旨：技术领先，质量可靠，轻便易用

服务宗旨：快速响应，达到满意，超过期望

HZJB-660C



—

—

—

—




1		4
2		4
3		5
3.1		5
3.2		5
3.3		5
3.4		5
4		6
4.1		6
4.2		6
5		7
5.1		7
5.2		8
6		9
6.1		9
6.2		9
6.3		10
6.3.1		10
6.3.2		11
6.3.3		13
6.3.4		14
6.3.5		16
6.3.6		16
6.4		16
6.4.1		16
6.4.2		17
7		17
7.1		17
7.2		18
7.3		19
7.4		19
8		20



赫兹电力
HERTZ POWER

产品宗旨：技术领先，质量可靠，轻便易用

服务宗旨：快速响应，达到满意，超过期望





宗旨：技术领先，品质可靠，轻便易用
宗旨：快速响应，达到满意，超过期望

EXT

CONFIDENTIAL

16

¶ e w0ĐPórô4ăXÁ3h P`

$$\theta \sim 3.1$$

3.1.1

25V 250V 50Hz/60Hz

3.1.2

$$\pm \quad \times 5\% + 0.5V$$

3.1k.3+ ~~+~~ m u b

 $\pm \times 10\%$

3.1.4

 $\geq 1500\text{k}\Omega$

3.2

3.2.1

0 20mA 50Hz/60Hz

3.2.2

 $\pm \times 5\% + 5\mu A$

3.2.3


! m m "




3.4.2	4	
3.4.3	8	8
3.4.4	320mm() × 270mm() × 150mm()	
3.4.5	3.2kg	
3.4.6	115mm() × 120mm() × 65mm()	
3.4.7	0.6kg ()	
3.4.8	-10 50	
3.4.9	90%	

4.1

1
U1
Ix1p x1p




2



5.1

5.1.1

5.1.2






赫兹电力
HERTZ POWER

产品宗旨：技术领先，质量可靠，轻便易用

服务宗旨：快速响应，达到满意，超过期望





5.2.3 “ ↑ ↓ ” “ ” “ → ” “ ”


“ → ”

5.2.4 128 × 64 OLED

5.2.5

5.2.6

5.2.7



5.2.9

“ 7 ”

PT

6.1

6.2

（

）

（ ）

，

6.3



6.3.1

“ ” 7

“ ” “ ”



6.3.2

8



8

ABC A B C A-B C-B

B

ABC

A B C



A-B C-B PT B A B C B
ABC A

I-U PT “ ” “ I-U ”

ABC A B C

ABC ABC

A B C A

“ ” “ ” “ ” “ ”

“ ”

0 °

	A	B	C
ABC	0 °	0 °	0 °
A	0 °	120 °	240 °
B	240 °	0 °	120 °
C	120 °	240 °	0 °
A-B	30 °	150 °	270 °
C-B	90 °	210 °	330 °

“ ” A B C ± 360.00 °

“ ” “ 4.2 ”

80 ° 1 ° 81 °

A B C



● P T

PT

PT

“ ” “ ” “ ”


“ ” PT PT

PT

●

“ ”

6.3.3




9



10



11



12

“ ” “ ”



9

10

11

12

13

2016/04/22 五 15:13:18

测试参数	
试验编号:000000	补偿角度:
设备名称:000000	Φa: 0.00°
测试方式:有线	
参考相别:A	
被测相别:A	
补偿方式:禁用补偿	
P T 变比:1.000	
2016年04月22日 15时10分29秒	

系统频率
49.99Hz

测试

显示

保持

打印

13



6.3.4

•

•

Φa-b Φb-c Φc-a

• Ux

3 5 7

$$U_x = \sqrt{U_1^2 + U_3^2 + U_5^2 + U_7^2}$$

Ex

KV/m

K/m

• U1


E1

• U3 U5 U7 3 5 7



E3 E5 E7


- Ix 3 5 7
- Ixp Ix
- Ir 3 5 7
- Irp Ir
- Ir1p
- Ic1p
- Ir3p Ir5p Ir7p 3 5 7



- Φ Φ

Φ	0 74.99 °	75 76.99 °	77 79.99 °	80 82.99 °	83 87.99 °	≥ 88 °

:





6.3.5

14

15

14

“ 001/003 ”

100

“ ← → ”

6.3.6

15

“ ↑ ↓ ”

“ ← → ”

“ ”

“ ”

6.4

16

“ ”

欢迎使用

Fa: 50.00Hz 
Uxa: 60.00V
Uxb: 60.00V 0
Uxc: 60.00V 

16

17

6.4.1

17

-
-
-
-

A



485 ↑

“ → ”


3 5 7



“ ↑ ↓ ”

1V

6.4.2



7.1

7.1.1

7.1.2

A


A B C



赫兹电力
HERTZ POWER


产品宗旨：技术领先，质量可靠，轻便易用

服务宗旨：快速响应，达到满意，超过期望



7.3

母线



19

19


7.4

B

A C

B

20



20



- 8.1
- 8.2
- 8.3
- 8.4
- 8.4.1
- 8.4.2
- 8.4.3

“ ” “ ”

- 1
- 2

- 1.
- 2.





2

3

2

24

027-83267669

24

48

4

